Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	151	(719/318). cor.	USPAT	OR	ON	2007/09/13 14:26
L2	64	(network\$3 same print\$3 same (pass\$work secret token certificate)).clm.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 14:18
L3	28	(network\$3 same print\$3 same (secur\$6 privat\$3 confident\$6)) same (pass\$3 forward\$3 re\$direct\$3) with (token certificate)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 14:18
L4	769	(726/3). CCLS.	US-PGPUB; USPAT	OR	OFF	2007/09/13 14:26
L5	309	(726/21). CCLS.	US-PGPUB; USPAT	OR	OFF	2007/09/13 14:26
L6	1065	L4 or L5	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 14:18
L7	56	L6 and (network\$3 same print\$3 same (secur\$6 privat\$3 confident\$6))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 14:18
L8	17	("6307640"). URPN.	USPAT	OR	ON	2007/09/13 14:18
L9	3	(("6, 307, 640") or ("6, 348, 972") or ("6, 711, 677")). PN.	US-PGPUB; USPAT	OR	OFF	2007/09/13 14:18
L10	823	(713/151, 161). CCLS.	US-PGPUB; USPAT	OR	OFF	2007/09/13 14:51
L11	696	(719/313). CCLS.	US-PGPUB; USPAT	OR	OFF	2007/09/13 14:18
L12	1065	L4 or L5	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR .	ON	2007/09/13 14:18
L13	309	(726/21). CCLS.	US-PGPUB; USPAT	OR .	OFF	2007/09/13 14:18
L14	769	(726/3). CCLS.	US-PGPUB; USPAT	OR	OFF	2007/09/13 14:18
L15	879	(719/318). CCLS.	US-PGPUB; USPAT	OR	OFF	2007/09/13 14:18
L16	113	network near3 print\$3 same (password authenticat\$4 authoriz\$5) same remot\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 14:18
L17	216	(secure\$2 privates2 confidential\$3 secre63 privacy) with print near3 (job task request) same (network\$3 remote\$2)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 14:18
L18	234	(secure\$2 privates2 confidential\$3 secre\$3 privacy) with print near3 (job task request) same (network\$3 remote\$2)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 14:18
L19	46	(network remote\$2) near3 print\$3 near2 (job task request) with (password token key)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 14:18

		DADI DEGLETI IIIS CO.	•			
L20	64	remot\$3 with (print\$3) same (notif\$4 or notification or inform\$3 or notice) near2 (receiv\$3 or recipient)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 14:18
L21	53	remot\$3 with (print\$3) same (notif\$4 or notification or inform\$3) near2 (receiv\$3 or recipient)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 14:18
L22	57	(secure\$3 privates confidential\$3 secre\$3 privacy) with print near3 (job task request) same (remote\$2)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 14:18
L23	7	remot\$3 with (print\$3) near (privat\$3 or secur\$4) same (notif\$3 or notification or inform\$3 or notice or message or event or signal) near2 (receiv\$3 or recipient)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON .	2007/09/13 14:18
L24	2	remot\$3 with (print\$3) same (notif\$4 or notification or inform\$3 or notice) near2 (receivS3 or recipient)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 14:18
L25	54	(secure\$2 private\$2 confidential\$3 secret\$3) with print near3 (job task request) same (remote\$2)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 14:18
L26	54	(secure\$2 private\$2 confidential\$3 secret\$3) with print near3 (job task request) same remote\$2	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 14:18
L27	5	(secur\$4 or private) with print\$3 same (notify\$3 or notification or inform\$3) with (reciever or recipient or retriever)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 14:18
L28	280	(secure\$2 private\$2 confidential\$3 secret\$3) with print near3 (job task request) and remote\$2	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 14:18
L29	229	(secur\$4 or private) same print\$3 same (notify\$3 or notification or inform\$3) near2 (reciever or recipient or retriever or client or customer or terminal or process or computer or operator)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 14:18
L30	45	(secur\$4 or private) same print\$3 same (notify\$3 or notification or inform\$3) with (reciever or recipient or retriever)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR .	ON	2007/09/13 14:18
L31	62	(secur\$6 or private) with print\$3 same (notify\$3 or notification or communicat\$3 or inform\$3) with (reciever or recipient or retriever)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 14:18

		Dhoi bearen misto	- ,				
L32	8	(secur\$4 or private) near print\$3 same (notify\$3 or notification or communicat\$3 or inform\$3) with (reciever or recipient or retriever)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/09/13	14:18
L33	26	(secur\$4 or private) near2 print\$3 same (notif\$4 or notification or inform\$3) near2 (reciever or recipient or retriever or client or customer or terminal or process or computer or operator)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/09/13	14:18
L34	19	(secur\$5 or private) near2 print\$3 same (notify\$3 or notification or inform\$3) near2 (reciever or recipient or retriever or client or customer or terminal or process or computer or operator)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/09/13	14:18
L35	24	(secur\$4 or privat\$3) with remot\$3 with (print\$3) same (notif\$4 or notification or inform\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/09/13	14:18
L36	354	(secur\$4 or private) near print\$3 same (client or user or terminal) same (password or authoriz\$5 or authenticat\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM TDB	OR	ON	2007/09/13	14:18
L37	148	(secur\$4 or privat\$3) near2 (prin\$3) with remot\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/09/13	14:18
L38	50	((secur\$5 or privat\$3 or secret\$3 or confident\$6) near3 (print\$3) same remot\$3 with (authoriz\$6 or authenticat\$6))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM TDB	OR	ON	2007/09/13	14:18
L39	329	((secur\$4 or priva\$3 or secre\$3 or confiden\$6) near print\$3) same remot\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM TDB	OR	ON	2007/09/13	14:18
L40	39	((secur\$4 or privat\$3 or secret\$3 or confiden\$6) near3 print\$3) same remot\$3 near2 device	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM TDB	OR	ON	2007/09/13	14:18
L41	1297	((secur\$4 or priva\$3 or secre\$3 or confiden\$6) near print\$3) same remo\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM TDB	OR	ON	2007/09/13	14:18
L42	7037	(358/1. 15). CCLS.	US-PGPUB;	OR	OFF	2007/09/13	14:18
L43	11	(print\$3) near (privat\$3 or securu) same (notif\$4 or notification or inform\$3 or notice or message or event or signal) near2 (receiv\$3 or recipient)	USPAT US-PGPUB; USPAT; USOCR; EPO;	OR	ON	2007/09/13	14:18
L44	1943	(358/1.14). CCLS.	DERWENT; IBM_TDB US-PGPUB;	OR	UEE	2007/00/12	14.00
L44	365	(713/160). CCLS.	US-PGPUB; US-PGPUB:	OR	OFF OFF	2007/09/13	
L45	272	(719/318). cor.	USPAT US-PGPUB				
L47	314	(726/3), CCLS.	US-PGPUB US-PGPUB	OR OR	ON OFF	2007/09/13	
L48	104	(726/21). CCLS.	US-PGPUB	OR	OFF	2007/09/13	

L49	1013	(358/1.14). CCLS.	US-PGPUB	OR	0FF	2007/09/13 14:26
L50	472	(713/151). CCLS.	US-PGPUB; USPAT	OR	0FF	2007/09/13 14:52
L51	206	(713/152). CCLS.	US-PGPUB; USPAT	OR	OFF	2007/09/13 14:52

Web Images Video News Maps Gmail more -

Sign in

<u>Google</u>

network secure print job notification authentication

Search

Advanced Search Preferences

New! View and manage your web history

Web

Results 1 - 34 of 34 from leeexplore.leee.org for network secure print job notification authentication. (0.25 seconds)

[PDF] Hospital financial electronic reporting - Electrical and Computer ...

secure LDAP (LDAPS). Every step of the. authentication is protected from snooping by ... print job, and create a printed copy of the financial ... ieeexplore.ieee.org/iel5/7909/21812/01013120.pdf - Similar pages

[PDF] The specification and enforcement of advanced security policies ... If the number of print jobs created during the day is higher vices, such as authentication, audit, and notification. access identity ... ieeexplore.ieee.org/iel5/7903/21795/01011300.pdf - Similar pages

[PDF] DoKumobility: Web services for the mobile worker

security for services such as the billing service. 2.3. Coordination Service print jobs. Finally, the notification service routes messages ... ieeexplore.ieee.org/iel5/10610/33519/01592448.pdf?arnumber=1592448 -Similar pages

[PDF] Protocol Scrubbing: Network Security Through Transparent Flow .

work protocol specifications to deceive network security sys- authentication schemes. In contrast, the protocol scrubber's ... ieeexplore.ieee.org/iel5/90/28714/01288131.pdf?arnumber=1288131 - Similar pages

[PDF] When to trust mobile objects: access control in the Jini Software ...

This stub could redirect a print job. to a host outside the firewall, its own security: at the very least, it should not grant network access to ... ieeexplore ieee org/iel5/6380/17059/00787541.pdf - Similar pages

[PDF] Management Policy Service for Distributed Systems - Services in ...

print jobs. pm2-1. A+. @users. -. Q restricted-users. {submit-printjob() Symposium on Network and Distributed System. Security, San Diego, Feb. ... ieeexplore.ieee.org/iel3/3748/10947/00502441.pdf? isNumber=10947&arNumber=00502441&isnumber=10947... - Similar pages

[PDF] MILITARY COMMUNICATIONS CONFERENCE

INFORMATION AND NETWORK SECURITY. TELECOMMUNICATION STANDARDS. DEVELOPMENTS ... authentication and explains how cryptography equipment can ...

ieeexplore.ieee.org/iel5/35/23782/01091416.pdf - Similar pages

[PDF] Location-based e-campus web services; from design to deployment ...

ing printing, but authentication and security are their main. concerns. The us er reques ts a print job. from the Remote Printing Server ... ieeexplore.ieee.org/iel5/8487/26747/01192743.pdf?arnumber=1192743 -Similar pages

[PDF] Itinerant agents for mobile computing - IEEE Personal Communications

... batch jobs on mainframes and to receive results, typically print files, back for local network security, electronic commerce, mobile computing, ... ieeexplore.ieee.org/iel4/98/9856/00468361.pdf?arnumber=468361 - Similar pages

[PDF] Ubiquitous Computing using Wireless Broadcast

on the same sub-network will all send out the broadcast However, to secure the privacy of each user,. each print job element can be encrypted with the ... ieeexplore.ieee.org/iel5/9476/30062/01377316.pdf?arnumber=1377316 -Similar pages

[PDF] Novelty in IT development projects: a case study of practices in a ...

authentication procedure to ensure Positive User. Authentication. This project was characterized as. Type C. since not only was a secure system of remote ... ieeexplore.ieee.org/iel5/6378/17057/00787832.pdf?arnumber=787832 - Similar pages

[PDF] Coordination middleware supporting rapid deployment of ad hoc ...

tuple space particularly easy. This veneer overcomes these, problems by requiring password authentication for use of. special secure tuple spaces. .. ieeexplore.ieee.org/iel5/8560/27094/01203580.pdf?arnumber=1203580 -Similar pages

[PDF] Cross-platform integration with XML and SOAP - IT Professional

process A received real-time notification when an error You can secure. access to SOAP Web services using HTTP authentication, ...

ieeexplore.ieee.org/iel5/6294/20605/00952977.pdf - Similar pages

[PDF] Hierarchical Policy Based Management Architecture to Support the

Security. No (IP). Yes (Java). No (IP). Authentication. In this first section, we present the network. In the case of ISP, policies are defined based ... ieeexplore.ieee.org/iel5/9433/29935/01367210.pdf - Similar pages

[PDF] Issue Image no(s) - Computer

Network security. Policy modeling. industrial security. cryptography and other. Information flow. Authentication. Database security. Security and other ... ieeexplore.ieee.org/iel1/2/9181/x0107822.pdf - Similar pages

[PDF] Shifting paradigms with the application service provider model ...

Today's virtual private network technol-, ogy can make any Internet connection highly secure. against outside interference. Similarly, encryption can ... ieeexplore.ieee.org/iel5/2/20660/00955095.pdf?arnumber=955095 - Similar pages

Condor/Condor-G client tools, with security handled through the use of X.509 digital certificates. ... certificate authentication. Once jobs are submitted ... ieeexplore.ieee.org/iel5/5992/32606/01524856.pdf?arnumber=1524856 -

[PDF] issue image no(s) - Computer

readers acquire and maintain critical job skills-and learn workstation is physically secure, some part of the network .. ieeexplore.ieee.org/iel1/2/8308/x0161503.pdf - Similar pages

[PDF] TELNET: THE MOTHER OF ALL (APPLICATION) PROTOCOLS

ages to send Web pages, audio, print. jobs, news tickers, even distributed. RPC messages. ... Warning or notification Initiator deactivated option; ... ieeexplore.ieee.org/iel4/4236/15040/00683804.pdf?arnumber=683804 - Similar pages

In particular, a Security Assertion Markup Language (SAML) has been specified so that the authorization and authentication information between different WS ... ieeexplore.ieee.org/iel5/5/29301/1323290/1323290.html - Similar pages

[PDF] IEEE Guide to the POSIX Open System Environment (OSE)

For example, a user identification and authentication operation may include Security for remote print jobs.

Distributed management communications ... ieeexplore.ieee.org/iel1/4247/12008/00552903.pdf - Similar pages

[PDF] Issue Image no(s) - Computer

cryptographic protocols), authentication, authorization, datalsystem integrity, Network services (directory, security, file management etc.) ... ieeexplore ieee.org/iel1/2/8564/x0150689.pdf - Similar pages

[PDF] Issue Image no(s) - IEEE Aerospace and Electronics Systems Magazine

on both new and existing technology. It provides a network for those agencies and individuals responsible. for security, safety and law enforcement who ... ieeexplore.ieee.org/iel3/62/6510/x0296503.pdf - Similar pages

[PDF] IEEE Trial-Use Standard for Wireless Access in Vehicular ...

3.1.9 notification: An indication of an event of interest, WAVE security services provide features such as authentication of control information. ... ieeexplore.ieee.org/iel5/4167672/4167673/04167674.pdf? tp=&isnumber=4167673&arnumber=4167674 - Similar pages

[PDF] Issue Image no(s) - Computer

prior notification your pick-up time will be delayed and additional charges Authentication Protocols, Timing Channels, Database Security, Information ... ieeexplore.ieee.org/iel1/2/5537/x0323845.pdf - Similar pages

[PDF] An Ada-Compatible Distributed Database Management System

mary duties are to provide network communication ser-. vices and failure detection/notification. This component. also sequences failure notices with respect ... ieeexplore ieee.org/iel5/5/31373/01458048.pdf - Similar pages

[PDF] issue image no(s) - Computer

tions; the manual does an excellent job. of describing them. Security is built into PPP with the. Challenge Handshake Authentication ... ieeexplore.ieee.org/iel1/2/7569/x0171367.pdf - Similar pages

[PDF] Information technology-Telecommunications and information exchange ...

ation is a notification, not a request. Disassociation cannot be refused by either Security services in IEEE 802.11 are provided by the authentication ... ieeexplore.ieee.org/iel5/4140841/4140842/04140843.pdf? tp=&isnumber=4140842&arnumber=4140843 - Similar pages

[PDF] Proceedings 2001 International Conference On Image Processing....
AN EFFICIENT METHOD TO MAP A REGULAR MESH INTO A 3D NEURAL NETWORK ON THE SECURITY OF THE SARI IMAGE AUTHENTICATION SYSTEM ...

ieeexplore.ieee.org/iel5/7594/20708/00958035.pdf - Similar pages

[PDF] 1003.1 standard for information technology portable operating ... input/output (I/O), job control, network, portable operating system interface (...... the notification mechanism. IEEE Std 1003.1-2001 defines only three ... ieeexplore.ieee.org/ieI5/7686/21000/00974400.pdf - Similar pages

[PDF] <u>Trial-use standard standard for information technology software ...</u>
8) Safety/security/privacy protection considerations, such as encryption, user authentication, compartmentalization, and auditing ... ieeeexplore.ieee.org/iel5/7009/18906/00873588.pdf - <u>Similar pages</u>

[PDF] IEEE Std 1003.1', 2004 Edition, Standard for Information ... input/output (I/O), job control, network, portable operating system interface (...... A clear definition of an execution environment for notification is ... ieeexplore.ieee.org/ieI5/9159/29074/01309814.pdf - Similar pages

[PDF] 1003.1 standard for information technology - portable operating ... input/output (I/O), job control, network, portable operating system audible notification. It is the character designated by '\a' in the C language. ... ieeexplore.ieee.org/iel5/7683/20997/00974398.pdf - Similar pages

[PDF] IEEE Standard for Local and metropolitan area networks Media...
The Bridged Local Area **Network** created allows the interconnection of stations
The next queue is devoted to a little extra job security by separating ...
ieeexplore.ieee.org/iel5/9155/29062/01309630.pdf - Similar pages

In order to show you the most relevant results, we have omitted some entries very similar to the 34 already displayed. If you like, you can repeat the search with the omitted results included.

Try Google Desktop: search your computer as easily as you search the web.

network secure print job notification | Se

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

©2007 Google - Google Home - Advertising Programs - Business Solutions - About Google